

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/062,546	02/05/2002	Francis Bryselbout	000348-297	3132
7590 11/25/2005			EXAMINER	
E. Joseph Gess			SINES, BRIAN J	
BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404			ART UNIT	PAPER NUMBER
Alexandria, VA 22313-1404			1743	
			D	-

DATE MAILED: 11/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/062,546	BRYSELBOUT, FRANCIS				
Office Action Summary	Examiner	Art Unit				
	Brian J. Sines	1743				
The MAILING DATE of this communication appeared for Reply	pears on the cover sheet	with the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUI 136(a). In no event, however, may will apply and will expire SIX (6) M e, cause the application to become	NICATION. a reply be timely filed ONTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 18 A	ugust 2005.					
2a) This action is FINAL . 2b) ☐ This	This action is FINAL . 2b)⊠ This action is non-final.					
,	- · · · · · · · · · · · · · · · · · · ·					
closed in accordance with the practice under	Ex parte Quayle, 1935 C	.D. 11, 453 O.G. 213.				
Disposition of Claims						
4) ⊠ Claim(s) 3-14,16-18 and 20-30 is/are pending 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 3-14,16-18 and 20-30 is/are rejected 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10) The drawing(s) filed on is/are: a) acc	cepted or b) objected	to by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	Paper N	w Summary (PTO-413) lo(s)/Mail Date of Informal Patent Application (PTO-152) 				

Application/Control Number: 10/062,546

Art Unit: 1743

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 3-8, 10-14, 16-18, 20-24, 26-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Honda et al. (U.S. Pat. No. 5,765,397 A) (hereinafter "Honda") in view of Saitoh et al. (U.S. Pat. No. 4,042,332) (hereinafter "Saitoh").

Regarding claims 3-6 & 20-24, Honda teaches an air liquefaction separation process and associated apparatus. Honda indicates that in the process oxygen gas is formed. The gas, which is predominately oxygen also contains very small amounts of hydrocarbons, such as methane, ethane, propane, etc. (see col. 6, lines 49-65). The gas composition is therefore inherently anticipated to comprise of at least 95 % oxygen, methane, and other non-methane hydrocarbons, e.g., propane. The express, implicit, and inherent disclosures of a prior art reference may be relied upon in the rejection of claims under 35 U.S.C. 102 or 103. "The

Art Unit: 1743

inherent teaching of a prior art reference, a question of fact, arises both in the context of anticipation and obviousness." *In re Napier*, 55 F.3d 610, 613, 34 USPQ2d 1782, 1784 (Fed. Cir. 1995). (MPEP § 2112).

Honda teaches that substances contained in very small amounts in air, e.g., hydrocarbons, such as methane, ethane and propane, are liable to explode when the concentration of these components exceeds a predetermined level in a high oxygen atmosphere (col. 1, lines 51 - 59). It therefore would accordingly have been obvious to a person of ordinary skill in the art to contemplate the monitoring of these hydrocarbon components in the such a high oxygen atmosphere.

Saitoh teaches a process for the detection of hydrocarbons other than methane in a gas comprising oxygen, methane and hydrocarbons other than methane, wherein the process comprises the stages of: a stage for the detection of the combined hydrocarbons in the gas, providing a first value for the combined or total hydrocarbon content of a sample of gas; a stage of combustion or oxidation of hydrocarbons other than methane; a stage of detection of methane in the gas sample, providing a second value; and a stage of calculation of the amount of hydrocarbons other than methane by the difference between the first and second values (col. 2, lines 1-27).

Regarding claim 7, Saitoh teaches that the hydrocarbons other than methane are subjected to incineration or oxidation using a catalyst (col. 2, lines 1-27).

Regarding claim 8, Saitoh teaches the use of a flame ionization detector (FID detector, 5) (col. 2, lines 1-27).


Art Unit: 1743

Regarding claims 10 & 26, Saitoh teaches that methane is not subjected to oxidation or incineration (col. 2, lines 1-27).

Regarding claim 11, Saitoh teaches an operating temperature of between and including $100 \, ^{\circ}$ C to $200 \, ^{\circ}$ C (col. 2, lines 32 - 41).


Regarding claim 13, Honda teaches the incorporation of a pipe for sample withdrawal (e.g. liquid oxygen withdrawal passage 11) (col. 7, lines 7 – 22; col. 10, lines 41 – 48; figures 1 – 6).

Regarding claims 16 & 17, Saitoh teaches a detection apparatus comprising: a means (flame ionization detector (FID) 5) for the detection of the combined hydrocarbons in a gas, which provides a first value for the combined hydrocarbons; a means (catalyst vessel 2) comprising a catalyst (9) for the combustion of the hydrocarbons other than methane; a means (FID 3) for the detection of methane, which provides a second value; and a means (calculator 6) for the calculation of the amount of hydrocarbons other than methane by the difference between the first and second value (col. 2, lines 1 – 66; figures 1 & 2). Saitoh also teaches a means for introducing hydrogen into the gas (e.g., suction pump 1) (col. 2, lines 1 – 27).



Application/Control Number: 10/062,546

Art Unit: 1743



Regarding claims 14, 18, 28 and 29, Honda teaches an apparatus for separating and purifying oxygen from air. Honda teaches an apparatus comprising: a withdrawal means (liquid oxygen withdrawing passage 11) for the withdrawal of a sample of liquid oxygen; a means (main heat exchanger 4) for the evaporation of liquid oxygen, producing an evaporated gas (col. 5, line 6 – col. 6, line 17; col. 7, lines 30 – 43; figure 6). Honda does not specifically teach the incorporation of a hydrocarbon detection device according to Saitoh, as discussed above. Although Honda does indicate that the hydrocarbon composition of the liquid oxygen is ascertained after gasification of the liquid oxygen in the main heat exchanger (4) (see col. 7, lines 31-67). Hence, it is inherently anticipated that a hydrocarbon detection device is utilized in this measurement (MPEP § 2112). In addition, the use of alarms in gas detection systems, and in particular for detecting explosive or hazardous gases, is notoriously well known in the art (MPEP § 2144.03). As a result, a person of ordinary skill in the art would have recognized the suitability of utilizing the hydrocarbon detection device of Saitoh et al. for the intended purpose of detecting hydrocarbon levels within the purified oxygen (MPEP § 2144.07). Furthermore, a person of ordinary skill in the art would accordingly have had a reasonable expectation for success of utilizing the detection device of Saitoh for detecting hydrocarbon levels within the product stream of the Honda system. The Courts have held that the prior art can be modified or

Application/Control Number: 10/062,546

Art Unit: 1743

combined to reject claims as *prima facie* obvious as long as there is a reasonable expectation of success. See *In re Merck & Co., Inc.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986) (MPEP § 2143.02). Therefore, it would have been obvious to a person of ordinary skill in the art to incorporate the teachings of Saitoh with the system of Honda to provide for the limitations of claims 18, 28 and 29.

Regarding claims 12 & 27, Honda in view of Saitoh, as discussed above, teach all of the structure required to perform the recited method, which merely recites the conventional operation of that structure. It would have been obvious to a person of ordinary skill in the art to perform the method recited in the instant claims upon the apparatus, as taught by Honda in view of Saitoh, as such is the intended operation of that apparatus.

Response to Arguments

Applicant's arguments and amendments filed 8/18/2005 have been fully considered but they are not persuasive. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988)and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Honda teaches an apparatus for separating and purifying oxygen from air. Honda teaches an apparatus comprising: a withdrawal means (liquid oxygen withdrawing passage 11) for the withdrawal of a sample of liquid oxygen; a means (main heat exchanger 4) for the evaporation of liquid oxygen, producing an evaporated gas (col.

Art Unit: 1743

5, line 6 – col. 6, line 17; col. 7, lines 30 – 43; figure 6). Honda does not specifically teach the incorporation of a hydrocarbon detection device according to Saitoh, as discussed above. Although Honda does indicate that the hydrocarbon composition of the liquid oxygen is ascertained after gasification of the liquid oxygen in the main heat exchanger (4) (see col. 7, lines 31 – 67). Hence, the use of detection devices are well known in the art for detecting hydrocarbons (see MPEP § 2144.03). Therefore, it would have been obvious to a person of ordinary skill in the art to incorporate the use of a hydrocarbond detection device with with the system disclosed by Honda.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian J. Sines whose telephone number is (571) 272-1263. The examiner can normally be reached on Monday - Friday (11 AM - 8 PM EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill A. Warden can be reached on (571) 272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll/free).

Bliansin